Coffee Machine Specifications

- Line Item 1
- Dimensions: Approximately 17" H x 23" W x 13" D
- Brews approx. 60.8 (8 oz.) cups, (3.8 gallons) or (14.4 liters) or 8 pots of coffee per hour.
- Internal components are to be constructed from stainless steel.
- Two individually controlled warmers
- Hot water faucet.
- Standard water line hook up
- Electrical: Model requires 2-wires plus ground service rated 120V, single phase, 60 Hz.
- Plumbing: 20-90 psi (138-621 kPa). Machine to be supplied with 1/4" male flare fitting.
- UL power cord

Acceptable Brands/Models: Bunn VLPF, Newco LPF or equal

- Line Item 2
- Approximate dimensions: 119" H x 9" W x 17" D
- Front-mounted hot water faucet
- Energy save mode automatically reduces energy consumption when brewer is idle.
- All stainless steel construction
- Three individually controlled warmers
- Stainless steel filter basket
- Brewing capacities of approximately 7 to 13 pots of coffee per hour

Acceptable Brands/Models: Bunn CWTF 15-3, Curtis Alpha3GT12A000 or equal

- Line item 3
- Stainless steel construction of internal components
- Three separately controlled warmers
- Brewing capacity of approximately 3.9 gallons or 8 pots of coffee per hour
- Requires no plumbing completely portable
- Approx. Dimensions: 20" H x 20" W x 9" D

Acceptable Brands/Models: Bunn VPS, Newco RD-3, or equal

- Line Item 4
- Two warmers with individual on/off switch
- Stainless steel construction of internal components
- Brewing capacity of approximately 8 pots of coffee per hour
- Requires no plumbing completely portable
- Approx. Dimensions: 20" H x 16" W x 8" D

Acceptable Brands/Models: Bunn VPR, Newco RC-2, or equal

Line items 5, 6, & 8

- Reliable, shatter-resistant, and perfectly balanced
- Laboratory-grade, stress-free glass
- Handle: State-of-the-art connection process used with food grade polymeric materials
- Precise design mold stands up to rigors of temperature adjustments, day-after-day

• Ergonomic handle design means easy manipulation of full, hot decanter

Acceptable Brands:

Line 5: Bunn 42400.0101, Curtis 70280000306, Coffee Pro OGFCP27000 or equal

Line 6: Bunn 42400.0103, Curtis 70280100303 or equal

Line 8: Bunn 42401.0101, Curtis 70280200406, Coffee Pro OGFCP27100 or equal

Line items 7 & 9

Same as above with stainless steel base.

Acceptable Brands:

Line 7: Bunn 06100.0101, Curtis 70480100304, Coffee Pro OGFCPU12 or equal

Line 9: Bunn 06101.0101, Coffee Pro OGFCPU13 OR EQUAL

Line item 10

Made from heavyweight, high-grade paper to provide an even flow of coffee through the filter and preserve taste Filter has tall sides to prevent coffee grounds from overflowing while brewing

For use with 12 cup commercial brewers

Processed with an elemental chlorine-free (ECF) bleaching method to ensure there is no detectable level of dioxin Filter measures approximately 9-3/4" in diameter at its widest part and 4-1/4" in diameter at the base of the filter

Acceptable Brands: Bunn BCF250, Coffee Pro CFPCPF250, or equal

Catalog requirements are described below:

- 1) Established commercially available Catalog Price means the price included in a catalog. Manufacturer's Suggested Retail Price (MSRP) List, schedule or other form that:
 - Is regularly maintained by a manufacturer or contractor.
 - Is either published or otherwise available for inspection by customers and/or the general public.
- 2) The catalog products will be provided as scanned pages with pictures and a price list depicting the included products. The catalog shall display for each item:
 - Model/Stock Number
 - Complete and accurate description of the item
 - A picture of the item
 - Catalog List Price
- 3) Contractor shall supply the listed products, at no charge, upon request to the State and local governmental agencies for ordering under this contract.
- 4) Contractor must notify the State Contract Administrator upon publishing of new catalog supplements. Copies must be made available to ordering agencies upon request.

Notes:

- The bidder shall provide a catalog or price schedule with all products listed above and will
 include other offered products excluding those that are included in the Invitation to Bid as
 individual line items.
- The catalog or price schedule shall be provided at or prior to the bid opening date and time. The bidder can mail a copy of the catalog or price schedule to:
 - State of Tennessee, Central Procurement Office, 3rd Floor, Tennessee Tower, 312 Rosa L Parks Avenue, Nashville, TN 37243 or
 - Via email to douglas.whitcomb@tn.gov

^{*}Only Coffee Makers and coffee maker supplies and accessories are included in the scope of this statewide contract.